

# BOROUGH OF FANWOOD

75 North Martine Ave, Fanwood, NJ 07023

908-322-8236 x 121

[phoynes@fanwoodnj.org](mailto:phoynes@fanwoodnj.org)

**Pat Hoynes**  
**Purchasing Agent**

## 2021 REQUEST FOR QUOTE Roof Removal and Replacement

---

The Borough of Fanwood is seeking a roofing expert to remove and replace the roof at the Administrative Building of the Borough of Fanwood at 75. North Martine Avenue, Fanwood, NJ 07023.

Please visit the site prior to quoting. Questions should be directed to Pat Hoynes at 908-322-8236 x 121.

Quotes shall be returned to this office as soon as possible, no later than Tuesday, March 23, 2021.

---

### SPECIFICATIONS:

- Completely strip building of all layers of existing asphalt roof shingles down to the existing wood sheathing
- Cover sheathing using 15lb. roofing felt
- Shingle roof using G.A.F., Class A, Self-Sealing, Fiberglass and Asphalt Roofing Shingles.
- Ice Shield to be installed in all valleys and on all gutter roof edges.
- Re-seal, re-flash and re-caulk wherever necessary.
- All debris to be removed.
- Replace all plumbing vent flashings.
- Replace 4 X 8 plywood sheets as necessary
- Install 4 stationary roof vents.
- Install 20' of ridge vent.
- Inspect power roof fan for replacement
- **NO WORK IS TO BE DONE ON REAR FLAT ROOFS.**

*CONTINUE TO NEXT PAGE*

# 2021 REQUEST FOR QUOTE

Borough of Fanwood  
75 North Martine Avenue  
Roof Removal and Replacement

## Quote Sheet

**Lump Sum Quote:** \_\_\_\_\_  
Written in numbers

\_\_\_\_\_  
Written in words

**Power Fan Replacement cost if necessary:** \_\_\_\_\_ each  
Written in numbers

\_\_\_\_\_  
Written in words each

**Term of Guarantee:** \_\_\_\_\_ years

Contact Name: \_\_\_\_\_

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Company Name: \_\_\_\_\_

Address: \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_ E-mail: \_\_\_\_\_

Date: \_\_\_\_\_